



SMART IP SPEAK 1210-BT

Conference Bluetooth Speakerphone

Model: SPEAK1210BT





SPEAK1210BT series USB/Bluetooth/5.8/ I/O speakerphone is specially designed for booming\ soft-phone and video-conferencing applications. It adopts the latest Sonic Clear IV high-definition voice processing technology. It can be connect to PC, laptop and mobile phone, to replace the PCs and laptop's speaker and microphone with crystal clear sound without any echoes or distortions. Superb audio quality and exquisite appearance design make SPEAK1210BT a perfect choice for conference calls, large enterprises, home office professionals, on-line education teachers and students, and business travelers.

- 4 Built-in high-sensitive microphones 360 degree audio pickup over 5 m
- 2 external microphones optional for connection makes the sound-pickup diameter up to 8m
- Intuitive plug and play connectivity that connect in Seconds to laptop, smart phone and tablet via USB, Bluetooth, 5.8G wireless receiver or line in/out.
- 22KHz full duplex echo cancellation g' noise reduction removes ambient room noise
- Advanced DSP technology delivers remarkably rich, crystal-clear audio
- Immersive sound for calls and music. Experience Omni-directional microphone and HD voice. Ideal for voice, music and multimedia
- Exclusive portable design so you can be mobile with a lightweight design, protective travel pouch and battery life for 4 hours talk time.
- Suitable for meeting rooms within 60 square meters. Support on-site meetings of less than 20 people.
- Support 3.5mm audio playback output, can be external headphones or speakers.
- Works with most UC, video conferencing and cloud communication apps such as ZOOM, Vidyo, Webex, Skype for business, Google handout and so on.

Features |



Portable Design



Expansion Mics (Need to Buy)



Echo Cancellation & Noise Reduction



Compatible Software

Details |



Bluetooth Connection



USB Connection



5.8G Connection



Package Contents

Product Specifications	
Voice Technical Parameters	Acoustic Echo cancellation (AEC): 65dB
	Echo length cancellation: z500ms
	Bidirectional noise compression (NC): 25dB
	Automatic Direction finding Technology of Intelligent
	Microphone: (EMI)
	Automatic gain control: (AGC)
Audio Parameters	Microphone frequency response: 100Hz-22KHz
	Speaker frequency response: 100Hz-22KHz
	Speaker volume: 95dB at the most
	Microphone sound-pickup diameter: 5 m, 360 degrees full range
Interface	USB interface: 3.5mm audio output
Power Supply	USB power supply: (5V/500m)
Computer Environment	Windows, Mac OSX, Android
Operating Environment	Operational environment: 0 - 40 degrees C ,Working humidity: 20 - 85% (no frost)
Size	180 x 180x42mm/355x265x120mm: (before/after packaging)
Weight	600g/1200g (Net/Gross weight)
Accessory	USB cable(3m), manual, QC card, 5V Power adapter, 3.5mm audio cable